

~~SECRET~~VAULTS 229 - 229A - 229B


Attachment 1 reflects the present layout for these vaults. Attachment 2 is the proposed layout. Comparative figures on file materials and file capacities, in cubic feet, are as follows:

	<u>File Material</u>	<u>Equipment Capacity</u> <u>Present</u>	<u>Proposed</u>
229	39.7	12	84
229A	126.9	192	288
229B	<u>119.9</u>	<u>208</u>	<u>288</u>
	286.5	412	660

The present equipment provides 30.4 percent expansion room. A certain amount of excess space in file equipment is necessary for working space. This varies with the type of equipment and material to be filed, but 25 percent is not excessive. It appears then that more file capacity will be needed before too long. The proposed plan will increase the expansion capacity to 56.5 percent. This could be further increased to 64.5 percent for a total capacity of 804 cu. ft. by removing the wall separating Vaults A and B. The change proposed in the seating arrangement is not essential to the proposed change in equipment, but does represent an improvement in that the present seating arrangement is conducive to excessive loss of time in casual conversation.

~~SECRET~~


~~SECRET~~
VAULT 229 PRESENT



- 1 - 4 DR LEGAL
- 3 - SHELVING 8 HI-18-36
- 8 - 60' DESK OR TABLE
- 9 - BOOK CASE-4 SEC,
- 11 - SHELVING 8 HI-18-42
- 12 - TABLE 30"
- 15 - COSTUMER
- 16 - PIGEON HOLE RACK 36"X12"X75"

~~SECRET~~

Approved For Release 2001/08/30 : CIA-RDP61-00423A000100120045-9



- 1 - 8 HI- LETTER SHELVES
 2 - 8 HI- LEGAL SHELVES
 8 - 60" TABLE OR DESK
 9 - BOOKCASE 4 SEC.
 15 - COUNTER
 16 - PIGEON HOLE RACK 36" X 12" X 15"

SECRET

Approved For Release 2001/08/30 : CIA-RDP61-00423A000100120045-9